



## Schweiz / Suisse / Svizzera / Switzerland

### Veterinary health certificate for the exportation of bovine semen from Switzerland to the United States of America

<b>Part I: Details of dispatched consignment</b>	I.1. Consignor: Name:  Address:		I.2. Certificate reference number*:			
			I.3. a. Central competent authority: <b>Federal Food Safety and Veterinary Office FSVO</b>			
			I.3. b. Cantonal competent authority:			
	I.4. Consignee Name: Address:					
	I.5. Country of origin: <b>Switzerland</b> ISO Code: <b>CH</b>	I.6. Zone or compartment of origin:	I.7. Country of destination: <b>United States of America</b> ISO Code: <b>US</b>	I.8. Zone or compartment of destination:		
	I.9. Place of origin (semen collection center): Name: Address:  Approval number of establishment(s):					
	I.10. Place of shipment:			I.11. Date of departure:		
	I.12. Means of transport (if available): Aeroplane <input type="checkbox"/> Ship <input type="checkbox"/> Railway wagon <input type="checkbox"/> Road vehicle <input type="checkbox"/> Other <input type="checkbox"/> Identification <sup>1)</sup> :			I.13. Country and place of loading:		
	I.15. Commodity code (HS code):			I.14. Description of commodity		
	I.16. Total quantity:			I.17. Temperature of the product: Ambient <input type="checkbox"/> Chilled <input type="checkbox"/> Frozen <input type="checkbox"/>		
I.18. Total number of packages:	I.19. Identification of container/seal number:		I.20. Type of packaging:			
I.21. Identification of commodities <sup>2)</sup> :						
Name of donor bull	Breed	Age	Identification number	Number of straws	Date of collection	Collection code

1) If applicable

2) An additional table is generated as attachment to this certificate and must be approved and stamped by the cantonal competent authority.

\* Indicated by the cantonal competent authority.

Swiss approved form No. O-2024-17

<b>Switzerland</b>	<b>Bovine Semen</b>
<b>II. Sanitary information</b>	Certificate reference number*:

## Part II: Zoosanitary information

**Section A (to be signed by the Center Veterinarian)**

I, the undersigned Center Veterinarian of the described semen collection center, hereinafter "SCC", certify that:

- 1) All bovine animals in the above SCC were:
  - a) Established as residents only if admitted by a formal process of quarantine, observation, and testing as required by legislation in accordance with equivalent legislation in force, notably notably Annex B to Council Directive 88/407/EEC, as amended by Directive 2003/43/EC or in Regulation (EU) 2016/429/ Commission Delegated Regulation (EU) 2020/686;
  - b) Admitted to the SCC herd only after having been proven free of Brucellosis, tuberculosis, bovine genital campylobacteriosis and trichomoniasis;
  - c) Admitted to the SCC herd only after having been proven free of viremia from persistent bovine viral diarrhea virus infection before entry into the SCC resident herd; and
  - d) Tested annually for brucellosis, tuberculosis, bovine genital campylobacteriosis, and trichomoniasis.
  - e) The semen for export to the United States was (SELECT ONE):
    - either* Collected prior to June 1, 2011;
    - or* The semen in the consignment was collected after June 1, 2011, from donors that were negative to two serum neutralization tests (using a 1:8 cutoff titer) for Schmallenberg virus, with the first performed within 30 days prior to collection, and the second between 28 and 60 days after collection. Tests were performed in a laboratory approved by the national Competent Authority.
- 2) In the SCC:
  - a) The SCC is certified as clinically free of paratuberculosis.
  - b) The herd was tested for brucellosis, tuberculosis, bovine genital campylobacteriosis, and trichomoniasis in its entirety with negative results at the most recent herd test prior to the period of semen collection for export to the United States of America (USA);
  - c) No clinical or other evidence of brucellosis, tuberculosis, bovine genital campylobacteriosis, trichomoniasis or leptospirosis was found since the most recent herd test and prior to the embarkation of semen to United States;
  - d) There was no evidence to indicate that the donors have been affected with paratuberculosis, tuberculosis or brucellosis during the 12 months prior to the collection of semen for export to the United States;
  - e) There was no clinical evidence of infection by bovine viral diarrhea virus, bluetongue virus, enzootic hemorrhagic disease (EHD) or infectious bovine rhinotracheitis virus during the 60 days prior to and during the period of collection of semen for export to the United States; and
  - f) All bulls passed a testing program with negative results consistent with the WOA (formerly OIE) Terrestrial Animal Health Code (Article 4.5.5) or as outlined in Council Directive 88/407/EEC, as amended, in Regulation (EU) 2016/429 or in Regulation (EU) 2016/429 (Commission Delegated Regulation (EU) 2020/686); to detect persistent testicular bovine viral diarrhea virus infection prior to semen release.
- 3) Each donor bull for the semen described above:
  - a) Originated from a tuberculosis-free herd;
  - b) Was not corralled, pastured, or held with animals of lesser health status or under any restrictions which would make them ineligible to export semen to the United States during the 60 days prior to and during the period of collection of semen for export to the United States;
  - c) Was subjected with negative results to the test described in 4.a) to 4.d) within six months prior to or six months after collection of the semen described above;
  - d) Was subjected with negative results to the tests for bluetongue virus group (BTV) described in 4.f);
  - e) Was inspected on the date of semen collection and found to be free of clinical signs of diseases transmissible in semen.
- 4) Where reference is made to health tests, the following tests were carried out:
  - a) The cervical test for bovine tuberculosis described in the World Organization for Animal Health (WOAH, formerly OIE) Manual for Diagnostic Tests and Vaccines for Terrestrial Animals;
  - b) For brucellosis testing (SELECT ONE):
    - either* A buffer *Brucella* antigen test (card test, rose Bengal test, or the buffered plate agglutination test)
    - or* An ELISA test for bovine brucellosis (indirect or competitive) in accordance with the World Organization for Animal Health (WOAH, formerly OIE) Manual of Diagnostic Tests and Vaccines for Terrestrial Animals, under the condition that samples that react positively were retested with negative results using a suitable confirmatory test such as the complement fixation test;
  - c) A polymerase chain reaction (PCR) or culture of preputial smegma for bovine genital campylobacteriosis (*Campylobacter fetus ssp. venerealis*) with negative results. The immunofluorescent antibody test may be used only as a screening test under the condition that samples that react positively must be retested using a suitable confirmatory test such as a PCR or culture of preputial smegma with negative results;

\* Indicated by the cantonal competent authority.

Switzerland	Bovine Semen
II. Sanitary information	Certificate reference number*:
<p>d) A PCR or a microscopic examination of a culture of preputial smegma for trichomoniasis (<i>Trichomonas foetus</i>) with negative results.</p> <p>e) For epizootic hemorrhagic disease (EHD) (SELECT ONE):</p> <p><input type="checkbox"/> <i>either</i> The animals originate from a Member State or region where no cases of EHD have been reported within the previous 12 months, and where no serological evidence of EHD infection exists;</p> <p><input type="checkbox"/> <i>or</i> The following serotypes of EHD exist: _____ and animals were tested on two occasions by an agar gel immunodiffusion test (AGID; Antibody) with negative results;</p> <p><input type="checkbox"/> <i>or</i> Testing was by competitive enzyme-linked immunosorbent assay (C-ELISA; Antibody) and a whole-blood PCR test (Antigen) for all the above-listed serotypes of EHD, with negative results using blood samples taken prior to, and not less than 21 days following collection of the semen (the two samples may not be taken more than 12 months apart);</p> <p><input type="checkbox"/> <i>or</i> Testing was by competitive enzyme-linked immunosorbent assay (C-ELISA; Antibody) and a virus neutralization test (VNT; Antibody) for all the above-listed serotypes of EHD, with negative results using blood samples taken prior to, and not less than 21 days following collection of the semen (the two samples may not be taken more than 12 months apart).</p> <p>f) The donor bull was tested for Bluetongue (BTV) with (SELECT ONE):</p> <p><input type="checkbox"/> <i>either</i> an AGID or ELISA test for the bluetongue virus (BTV) group on blood serum performed prior to the first day of semen collection, at least every 60 days during the collection period, and between 21 and 60 days after semen collection, with negative results;</p> <p><input type="checkbox"/> <i>or</i> with a whole blood PCR test for BTV group with one negative test at the beginning and conclusion of the collection period, and at least every 28 days during the period of semen collection;</p> <p><input type="checkbox"/> <i>or</i> with a whole-blood virus isolation test for BTV group with one negative test at the beginning and conclusion of the collection period, and at least every 7 days during the period of semen collection.</p> <p>5. The semen was collected and processed under my supervision and placed in individual ampules or straws which were permanently marked with the name of the donor, his registration number, or the collection code;</p> <p>6. Semen collection equipment which came into contact with bulls or their secretions and excretions was thoroughly disinfected after each use, and good laboratory practices were followed during collection and processing of semen in order to minimize the possible introduction of microbial contamination;</p> <p>7. Antibiotics were added to the semen and semen extender in amounts and combinations consistent with the standards described in "Certified Semen Services (CSS) Minimum Requirements for Disease Control of Semen Produced for AI," Appendix I, website: <a href="https://www.aphis.usda.gov/animal_health/css_min_req_jan2021_eng_final_v4.pdf">202112136CSSMinReqJan2021-ENG_FINAL_v_4.pdf (naab-css.org)</a>.</p> <p>8. No biological products other than frozen semen or embryos qualified for shipment to the United States were present in the containers prior to use for export of semen to the United States;</p> <p>9. The storage and shipping containers are either new or cleaned and disinfected; and</p> <p>10. Only virgin liquid nitrogen was used to export semen to the United States.</p> <p><input type="checkbox"/> (Select only if applicable) For sexed semen:</p> <p>The semen collected and processed under supervision of the SCC veterinarian was shipped to the semen sexing facility within Switzerland under seal or was maintained under the oversight of a center or official veterinarian.</p> <p>The semen sexing laboratory used to sex the semen for export to the United States is located in Switzerland, where the semen was collected, or was imported from the United States meeting all EU import requirements. The semen collection center is under the supervision of an approved Center Veterinarian, and is regularly inspected and approved in accordance with EU Directive 88/407/EEC. The sexing facility followed a United States Department of Agriculture approved "Cleaning and Disinfection Standard Operating Protocol" while processing this semen for export to the United States and was reviewed and approved by the USDA, listed on the <a href="#">webpage Approved EU, Great Britain and Northern Ireland Bovine Semen Sex Sorting Facilities.</a></p> <p>The integrity of this shipment was maintained through the semen sexing process and no semen from other donors was mixed with semen that originated from the animals listed.</p> <p><b>Section B (to be signed by the Official Veterinarian after the Center Veterinarian has signed)</b></p> <p>I, the undersigned Official Veterinarian of Switzerland certify that:</p> <ol style="list-style-type: none"> <li>1) Switzerland is considered by the USDA to be free of foot-and-mouth disease and rinderpest, as listed in 9 CFR Part 94 and other official publications, and was free of these diseases at the time of semen collection;</li> <li>2) Switzerland is free of contagious bovine pleuropneumonia;</li> <li>3) The donor animals for the semen to be exported to the United States have been part of the national herd of Switzerland collected for a minimum of 60 days and are free from any movement or quarantine restrictions;</li> <li>4) The semen collection center, hereinafter "SCC," was approved by the competent authority of Switzerland;</li> <li>5) Health tests required for export to the United States of bovine semen were performed by testing methods recognized by the Office International des Epizooties (OIE) Manual of Diagnostic Tests and Vaccines for Terrestrial Animals, as acceptable for international trade;</li> </ol>	

<b>Switzerland</b>	<b>Bovine Semen</b>
<b>II. Sanitary information</b>	Certificate reference number*:
	<ol style="list-style-type: none"> <li>6) The laboratory tests mentioned in 4.b) to 4.e) were carried out with negative results in a laboratory approved by the national competent authority;</li> <li>7) Ruminant products used in commercial semen extenders in Switzerland were sourced from countries considered by USDA to be free from foot-and mouth disease and rinderpest as listed in 9 CFR Part 94 and other official publications;</li> <li>8) The semen to be exported to the United States was maintained under lock and key or in the custody of the SCC veterinarian, and segregated from other semen of lesser health status, until it was placed in the shipping container and sealed with official seals of Switzerland;</li> <li>9) None of the semen for export to the USA has been stored or transported in containers with semen produced under less than equivalent animal health conditions;</li> <li>10) The integrity of the total shipment and continuity of storage conditions for semen produced in different approved SCC units and collected in Switzerland (delete statement as appropriate);</li> <li>11) The shipping containers were sealed with an approved seal from the competent authority of Switzerland, and the seal number is recorded on the health certificate;</li> <li>12) The semen is routed directly to the United States from Switzerland with no stops en route other than those provided on the USDA import permit; and</li> <li>13) The Center Veterinarian that completed Section A of this certificate is authorized by the National Veterinary Service of Switzerland to perform this service.</li> </ol>

\* Indicated by the cantonal competent authority.

Switzerland	Bovine Semen
<b>III. Signature</b>	Certificate reference number*:
<b>Part III: Signature</b>	<p><b>Section A</b></p> <p>Center Veterinarian</p> <p>Name: _____ Qualification: _____</p> <p>Address: _____</p> <p>Place: _____ Signature and stamp of Center Veterinarian: _____</p> <p>Date: _____</p>
	<p><b>Section B</b></p> <p>Official Veterinarian</p> <p>Name: _____ Qualification: _____</p> <p>Address: _____</p> <p>Place: _____ Signature and stamp of Center Veterinarian: _____</p> <p>Date: _____</p>